

The Ultra 395's reliability and performance has made it Graco's most popular small electric sprayer. Proven technology and design make it perfect for professionals who spray daily with a wide range of coatings.

Proven Endurance Pump

- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

SmartControl™ 1.0 Pressure Control

- Microprocessor control delivers a consistent spray fan without pressure fluctuation at all spraying pressures
- Tight deadband and fast response when spraying

Totally Enclosed DC Motor

- Enclosed design protects internal motor components from dirt, dust, and overspray to extend motor life

Swivel Inlet Suction Hose

- All aluminum construction is durable, lightweight, and rust free
- No-tools removal of hose for cleaning or accessing inlet ball
- Easily swivels to reach buckets or cans
- Stands upright so it won't tip cans over
- Big Cup holds the inlet during transport to catch drips

Welded Steel Frame

- Rugged four-leg design for solid footing plus rugged leg caps to protect floor
- Offset handle with rubber comfort grip provides comfortable carrying
- Welded steel cord wrap doubles as a chain "lock down"
- Choose Stand, Hi-Boy or Lo-Boy cart

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
 - Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

Ultra 395

Now with Higher Performance!



DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra 395 Stand	233960	.023	0.54 (2.0)	3300 (227)
Ultra 395 Hi-Boy	233962	.023	0.54 (2.0)	3300 (227)
Ultra 395 Lo-Boy	233961	.023	0.54 (2.0)	3300 (227)

Comes complete with: New Contractor Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose.



Offset handle for comfortable carrying.



Easy Out pump filter removes simply with the cap.



QuikAccess intake requires only a hammer to access the intake ball.

Ultra Max II 490

Now with Higher Performance!



Stand Unit Shown

The new Ultra Max II 490 brings the leading technology and performance of Graco's larger Ultra Max II models into these compact and lightweight sprayers. The 490 is the best choice for professionals looking for superior performance and control for daily use on residential jobs.

Proven Endurance Pump

- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

Lightweight Design

- Weighs only 34 lbs (19 kg)
- Easy to carry

Exclusive Brushless DC Motor

- Compact, lightweight motor delivers higher horsepower per wall amp
- No brushes to replace
- Enclosed design protects internal motor components from dirt, dust and overspray to extend motor life

SmartControl 2.0 Pressure Control

- Advanced microprocessor control delivers most consistent spray fan at all spraying pressures
- Zero deadband at lower spraying pressures makes the 490 ideal for fine finish spraying

Swivel Inlet Suction Hose

- All aluminum construction is durable, lightweight, and rust-free
- No-tools removal of hose for cleaning or accessing inlet ball
- Easily swivels to reach buckets or cans
- Stands upright so it won't tip cans over

Welded Steel Frame

- Offset handle with rubber comfort grip provides comfortable carrying
- Welded steel cord wrap doubles as a chain "lock down"
- Choose Stand, Hi-Boy or Lo-Boy cart

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out so filters won't get stuck or collapse
- Filter removes with the cap for less mess

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra Max II 490 Stand	249911	.023	0.54 (2.0)	3300 (227)
Ultra Max II 490 Hi-Boy	249914	.023	0.54 (2.0)	3300 (227)
Ultra Max II 490 Lo-Boy	249913	.023	0.54 (2.0)	3300 (227)

Comes complete with: New Contractor Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose.



No tools suction hose removal.



Easy Out filters won't collapse or get stuck when dirty.



Hi-Boy TiltBack™ carts make bucket changes fast and easy.

Electric Product Specifications



390

- Max Tip:** .021
Max psi/bar: 3300/227
Max gpm/lpm: .47/1.8
Weight lbs/kg: 30/13.6 Stand
Motor hp: 5/8 hp DC
Generator Requirements:
- 3000W
- Gun:**
- FTx Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 515 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- Stand - 14"x16"x18"
 - Hi-Boy - NA
 - Lo-Boy - NA
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 310820
 - Repair - 310824
 - Pump - 309250
 - Gun - 311861
 - Parts List - 310876



Ultra 395

- Max Tip:** .023
Max psi/bar: 3300/227
Max gpm/lpm: .54/2.0
Weight lbs/kg: 42/19 Stand
Motor hp: 7/8 hp TEFC DC
Generator Requirements:
- 3000W
- Gun:**
- Contractor Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 517 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- Stand - 14"x16"x18"
 - Hi-Boy - 21"x23"x28"
 - Lo-Boy - 14"x26"x21"
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 309665
 - Repair - 309674
 - Pump - 309250
 - Gun - 311861
 - Parts List - 309675



Ultra Max II 490

- Max Tip:** .023
Max psi/bar: 3300/227
Max gpm/lpm: .54/2.0
Weight lbs/kg: 34/15 Stand
Motor hp: 1 hp Brushless DC
Generator Requirements:
- 3000W
- Gun:**
- Contractor Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 517 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- Stand - 14"x16"x18"
 - Hi-Boy - 21"x23"x28"
 - Lo-Boy - 14"x26"x21"
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 309665
 - Repair - 309674
 - Pump - 309250
 - Gun - 311861
 - Parts List - 309675



Ultra Max II 495

- Max Tip:** .025
Max psi/bar: 3300/227
Max gpm/lpm: .60/2.3
Weight lbs/kg: 43/19.5 Stand
Motor hp: 1.2 hp Brushless DC
Generator Requirements:
- 3000W
- Gun:**
- Contractor Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 517 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- Stand - 14"x16"x18"
 - Hi-Boy - 21"x23"x28"
 - Lo-Boy - 14"x26"x21"
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 309665
 - Repair - 309674
 - Pump - 309250
 - Gun - 311861
 - Parts List - 309675



Ultra Max II 595

- Max Tip:** .027
Max psi/bar: 3300/227
Max gpm/lpm: .70/2.6
Weight lbs/kg: 72/32.7 Hi-Boy
Motor hp: 1.4 hp Brushless DC
Generator Requirements:
- 3000W
- Gun:**
- Contractor Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 517 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- NA
 - Hi-Boy - 21"x23"x28"
 - Lo-Boy - 14"x26"x21"
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 309665
 - Repair - 309674
 - Pump - 309250
 - Gun - 311861
 - Parts List - 309675